

**GRANBO**, FOCUSING ON ULTRASONIC  
TECHNOLOGY R & D AND MANUFACTURING

**超声波清洗设备专业研发制造商**



**冠博仕**  
**GRANBO**

# VINYL RECORD ULTRASONIC CLEANER

## 黑胶唱片超声波清洗机



# SMALL THREE-TANK ULTRASONIC CLEANER

## 商用小型三槽清洗机



	Vinyl record ultrasonic cleaner 黑胶唱片超声波清洗机					Small three-tank ultrasonic cleaner 商用小型三槽清洗机		
Picture 图片								
Model 型号	GB0306C	GD0306C	GS0306C	GW0306C	GT0306C	GS30306	GW30306	
Capacity 容量(L)	6.5	6.5	6.5	6.5	6.5	3*6.5	3*6.5	
Tank size 内槽尺寸(MM)	300*150*150	300*150*150	300*150*150	300*150*150	300*150*150	3x300*150*150	3x300*150*150	
Unit size 外形尺寸(MM)	325*175*270	325*175*270	325*175*270	325*175*270	325*175*270	530*330*280	530*330*280	
Ultrasonic   Heating power 超声功率   加热功率(W)	180   NO	180   300	180   300	90/180   300	0-180   300	3x180   3x300	3x90/180   3x300	
Packing size 包装尺寸(MM)	410*255*355	410*255*355	410*255*355	410*255*355	410*255*355	635*405*340	635*405*340	
N.W/G.W 净重/毛重(Kg)	7.5/10.7	7.5/10.7	7.5/10.7	7.5/10.7	7.5/10.7	13.6/15	13.6/15	
备注	<ul style="list-style-type: none"> <li>• With lifting function &amp; 6colors for choose</li> <li>• 支架带升降功能 &amp; 6种颜色可选</li> </ul>				<ul style="list-style-type: none"> <li>• Wash up to 8pcs vinyl records at a time</li> <li>• 一次清洗1-8张唱片</li> </ul>		<ul style="list-style-type: none"> <li>• Double safety protection</li> <li>• 双保险安全防护</li> </ul>	

## 支持贴牌 Support OEM&ODM 颜色可定制 Color can be customized



Portable household and commercial ultrasonic cleaner 便携式家用商用超声波清洗机								
Model 型号	GA008	GA008G	JL010	JL020	MK-186	MK-183	MK-182	MK-188
Capacity 容量(ml)	800	800	480	680	600	450	650	650
Tank size 内槽尺寸(MM)	150*85*65	150*85*65	Φ120*48	168*82*50	180*70*55	160*65*55	160*90*45mm	180*70*55mm
Unit size 外形尺寸(MM)	175*110*125	175*110*125	Φ156*126	222*92*76	235*95*65	208*85*63	230*155*150	285*95*85mm
Ultrasonic power   Frequency 超声功率   频率	35W   40KHz	<b>60W</b>   40KHz	35W   42KHz	24W   42KHz	15W   50KHz	18W   46KHz	35W   40KHz	20W   48KHz
Packing size 包装尺寸(MM)	235*170*180	235*170*180	185*185*152	305*120*100	260*110*90	282*108*86	255*175*185	309*111*100
N.W/G.W 净重/毛重(Kg)	1.0/1.3	1.4/1.7	0.8/0.95	0.58/0.88	0.6/0.85	0.5/0.7	1.05/1.38	0.75/0.93
Certificate 证书	CE-EMC/LVD RoHS, FCC	CE-EMC/LVD RoHS, FCC	CE-EMC/LVD RoHS, FCC PSE, KC	CE-EMC/LVD RoHS, FCC PSE, KC	CE-EMC/LVD RoHS, FCC PSE	CE-EMC/LVD RoHS, FCC PSE	CE-EMC/LVD RoHS, FCC PSE	CE-EMC/LVD RoHS, FCC

商用(常规标准)系列 (Common) commercial Ultrasonic Cleaner

Digital timer heater adjustable, wave variable with degas series 数码定时调温 变波脱气系列									
Model型号	GW0101	GW0102	GW0203	GW0304	GW0306	GW0410	GW0615	GW0822	GW1030
Capacity容量(L)	1.3	2.0	3.2	4.5	6.5	10	15	22	30
Tank size内槽尺寸(MM)	150*135*65	150*135*100	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Unit size外形尺寸(MM)	175*165*160	175*165*190	265*165*225	325*175*230	325*175*270	325*265*275	355*325*275	530*330*280	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	30/60   150	30/60   150	60/120   150	90/180   300	90/180   300	120/240   450	180/360   450	240/480   600	300/600   600
Packing size包装尺寸(MM)	255*240*235	255*240*265	340*245*310	410*255*310	410*255*355	435*360*350	460*410*340	635*405*340	635*405*390
N.W/G.W净重/毛重(Kg)	2.1/2.4	2.4/2.6	3.4/3.7	4.7/5.3	5.6/6.2	7.4/8.2	8.9/10	12/13.2	13.7/15

Digital timer Heater adjustable series 数码定时调温系列									
Model型号	GS0101	GS0102	GS0203	GS0304	GS0306	GS0410	GS0615	GS0822	GS1030
Capacity容量(L)	1.3	2.0	3.2	4.5	6.5	10	15	22	30
Tank size内槽尺寸(MM)	150*135*65	150*135*100	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Unit size外形尺寸(MM)	175*165*160	175*165*190	265*165*225	325*175*230	325*175*270	325*265*275	355*325*275	530*330*280	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	60   150	60   150	120   150	180   300	180   300	240   300	360   450	480   600	600   600
Packing size包装尺寸(MM)	255*240*235	255*240*265	340*245*310	410*255*310	410*255*355	435*360*350	460*410*340	635*405*340	635*405*390
N.W/G.W净重/毛重(Kg)	2.1/2.4	2.4/2.6	3.4/3.7	4.7/5.3	5.6/6.2	7.4/8.2	8.9/10	12/13.2	13.7/15

Mechanical timer Heater adjustable series 机械定时调温系列									
Model型号	GD0101	GD0102	GD0203	GD0304	GD0306	GD0410	GD0615	GD0822	GD1030
Capacity容量(L)	1.3	2.0	3.2	4.5	6.5	10	15	22	30
Tank size内槽尺寸(MM)	150*135*65	150*135*100	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Unit size外形尺寸(MM)	175*165*160	175*165*190	265*165*225	325*175*230	325*175*270	325*265*275	355*325*275	530*330*280	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	60   150	120   150	120   150	180   300	180   300	240   300	360   450	480   600	600   600
Packing size包装尺寸(MM)	255*240*235	255*240*265	340*245*310	410*255*310	410*255*355	435*360*350	460*410*340	635*405*340	635*405*390
N.W/G.W净重/毛重(Kg)	2.1/2.4	2.4/2.6	3.4/3.7	4.7/5.3	5.6/6.2	7.4/8.2	8.9/10	12/13.2	13.7/15

Mechanical timer series 机械定时系列									
Model型号	GB0101	GB0102	GB0203	GB0304	GB0306	GB0410	GB0615	GB0822	GB1030
Capacity容量(L)	1.3	2.0	3.2	4.5	6.5	10	15	22	30
Tank size内槽尺寸(MM)	150*135*65	150*135*100	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Unit size外形尺寸(MM)	175*165*160	175*165*190	265*165*225	325*175*230	325*175*270	325*265*275	355*325*275	530*330*280	530*330*330
Ultrasonic power 超声波功率(W)	60   NO	60   NO	120   NO	180   NO	180   NO	240   NO	360   NO	480   NO	600   NO
Packing size包装尺寸(MM)	255*240*235	255*240*265	340*245*310	410*255*310	410*255*355	435*360*350	460*410*340	635*405*340	635*405*390
N.W/G.W净重/毛重(Kg)	2.1/2.4	2.4/2.6	3.4/3.7	4.7/5.3	5.6/6.2	7.4/8.2	8.9/10	12/13.2	13.7/15

Digital timer heater Power adjustable series 数码定时调温 调功率系列							
Model型号	GT0203	GT0304	GT0306	GT0410	GT0615	GT0822	GT1030
Capacity容量(L)	3.2	4.5	6.5	10	15	22	30
Tank size内槽尺寸(MM)	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Unit size外形尺寸(MM)	265*165*225	325*175*230	325*175*270	325*265*275	355*325*275	530*330*280	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	0-120   150	0-180   300	0-180   300	0-240   300	0-360   450	0-480   600	0-600   600
Packing size包装尺寸(MM)	340*245*310	410*255*310	410*255*355	435*360*350	460*410*340	635*405*340	635*405*390
N.W/G.W净重/毛重(Kg)	3.4/3.7	4.7/5.3	5.6/6.2	7.4/8.2	8.9/10	12/13.2	13.7/15

Digital timer heater Power adjustable with degas&semiwave series 时间可调 加热 脱气 变波 功率可调							
Model型号	GX0203	GX0304	GX0306	GX0410	GX0615	GX0822	GX1030
Capacity容量(L)	3.2	4.5	6.5	10	15	22	30
Tank size内槽尺寸(MM)	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Unit size外形尺寸(MM)	265*165*225	325*175*230	325*175*270	325*265*275	355*325*275	530*330*280	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	0-120   150	0-180   300	0-180   300	0-240   300	0-360   450	0-480   600	0-600   600
Packing size包装尺寸(MM)	340*245*310	410*255*310	410*255*355	435*360*350	460*410*340	635*405*340	635*405*390
N.W/G.W净重/毛重(Kg)	3.4/3.7	4.7/5.3	5.6/6.2	7.4/8.2	8.9/10	12/13.2	13.7/15

商用 (加大功率) 系列 Commercial (Increase power) Ultrasonic Cleaner

Digital timer heater adjustable, wave variable with degas series 数码定时调温 变波脱气系列											
Model型号	GW0201	GW0202	GW0303	GW0610	GW0815	GW0915	GW1022	GW1222	GW1522	GW1230	GW1530
Capacity容量(L)	1.3	2.0	3.2	10	15	15	22	22	22	30	30
Tank size内槽尺寸(MM)	150*135*65	150*135*100	240*135*100	300*240*150	330*300*150	330*300*150	500*300*150	500*300*150	500*300*150	500*300*200	500*300*200
Unit size外形尺寸(MM)	175*165*190	175*165*225	265*165*225	325*265*275	355*325*275	355*325*275	530*330*280	530*330*280	530*330*280	530*330*330	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	60/120   150	60/120   150	90/180   150	180/360   300	240/480   450	270/540   450	300/600   600	360/720   600	450/900   600	360/720   600	450/900   600
Packing size包装尺寸(MM)	255*240*265	255*240*300	340*245*310	435*360*350	460*410*340	460*410*340	635*405*340	635*405*340	635*405*340	635*405*390	635*405*390
N.W/G.W净重/毛重(Kg)	2.5/2.9	2.8/3.0	3.7/4.1	8/8.8	9.8/11	10.1/11.2	13/14.2	13.5/14.7	14.7/16	14.3/15.5	15.5/16.7
Digital timer Heater adjustable series 数码定时 调温系列											
Model型号	GS0201	GS0202	GS0303	GS0610	GS0815	GS0915	GS1022	GS1222	GS1522	GS1230	GS1530
Capacity容量(L)	1.3	2.0	3.2	10	15	15	22	22	22	30	30
Tank size内槽尺寸(MM)	150*135*65	150*135*100	240*135*100	300*240*150	330*300*150	330*300*150	500*300*150	500*300*150	500*300*150	500*300*200	500*300*200
Unit size外形尺寸(MM)	175*165*190	175*165*225	265*165*225	325*265*275	355*325*275	355*325*275	530*330*280	530*330*280	530*330*280	530*330*330	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	120   150	120   150	180   150	360   300	480   450	540   450	600   600	720   600	900   600	720   600	900   600
Packing size包装尺寸(MM)	255*240*265	255*240*300	340*245*310	435*360*350	460*410*340	460*410*340	635*405*340	635*405*340	635*405*340	635*405*390	635*405*390
N.W/G.W净重/毛重(Kg)	2.5/2.9	2.8/3.0	3.7/4.1	8/8.8	9.8/11	10.1/11.2	13/14.2	13.5/14.7	14.7/16	14.3/15.5	15.5/16.7
Mechanical timer Heater adjustable series 机械定时 调温系列											
Model型号	GD0201	GD0202	GD0303	GD0610	GD0815	GD0915	GD1022	GD1222	GD1522	GD1230	GD1530
Capacity容量(L)	1.3	2.0	3.2	10	15	15	22	22	22	30	30
Tank size内槽尺寸(MM)	150*135*65	150*135*100	240*135*100	300*240*150	330*300*150	330*300*150	500*300*150	500*300*150	500*300*150	500*300*200	500*300*200
Unit size外形尺寸(MM)	175*165*190	175*165*225	265*165*225	325*265*275	355*325*275	355*325*275	530*330*280	530*330*280	530*330*280	530*330*330	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	120   150	120   150	180   150	360   300	480   450	540   450	600   600	720   600	900   600	720   600	900   600
Packing size包装尺寸(MM)	255*240*265	255*240*300	340*245*310	435*360*350	460*410*340	460*410*340	635*405*340	635*405*340	635*405*340	635*405*390	635*405*390
N.W/G.W净重/毛重(Kg)	2.5/2.9	2.8/3.0	3.7/4.1	8/8.8	9.8/11	10.1/11.2	13/14.2	13.5/14.7	14.7/16	14.3/15.5	15.5/16.7
Mechanical timer series 机械定时											
Model型号	GB0201	GB0202	GB0303	GB0610	GB0815	GB0915	GB1022	GB1222	GB1522	GB1230	GB1530
Capacity容量(L)	1.3	2.0	3.2	10	15	15	22	22	22	30	30
Tank size内槽尺寸(MM)	150*135*65	150*135*100	240*135*100	300*240*150	330*300*150	330*300*150	500*300*150	500*300*150	500*300*150	500*300*200	500*300*200
Unit size外形尺寸(MM)	175*165*190	175*165*225	265*165*225	325*265*275	355*325*275	355*325*275	530*330*280	530*330*280	530*330*280	530*330*330	530*330*330
Ultrasonic power 超声波功率(W)	120   NO	120   NO	180   NO	360   NO	480   NO	540   NO	600   NO	720   NO	900   NO	720   NO	900   NO
Packing size包装尺寸(MM)	255*240*265	255*240*300	340*245*310	435*360*350	460*410*340	460*410*340	635*405*340	635*405*340	635*405*340	635*405*390	635*405*390
N.W/G.W净重/毛重(Kg)	2.5/2.9	2.8/3.0	3.7/4.1	8/8.8	9.8/11	10.1/11.2	13/14.2	13.5/14.7	14.7/16	14.3/15.5	15.5/16.7
Digital timer heater Power adjustable series 数码定时调温 调功率系列											
Model型号	GT0303	GT0610	GT0815	GT0915	GT1022	GT1222	GT1422	GT1522	GT1230	GT1430	GT1530
Capacity容量(L)	3.2	10	15	15	22	22	22	22	30	30	30
Tank size内槽尺寸(MM)	240*135*100	300*240*150	330*300*150	330*300*150	500*300*150	500*300*150	500*300*150	500*300*150	500*300*200	500*300*200	500*300*200
Unit size外形尺寸(MM)	265*165*225	325*265*275	355*325*275	355*325*275	530*330*280	530*330*280	530*330*280	530*330*280	530*330*330	530*330*330	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	0-180   150	0-360   300	0-480   450	0-540   450	0-600   600	0-720   600	0-840   600	0-900   600	0-720   600	0-840   600	0-900   600
Packing size包装尺寸(MM)	340*245*310	435*360*350	460*410*340	460*410*340	635*405*340	635*405*340	635*405*340	635*405*340	635*405*390	635*405*390	635*405*390
N.W/G.W净重/毛重(Kg)	3.7/4.1	8/8.8	9.8/11	10.1/11.2	13/14.2	13.5/14.7	14.7/16	14.7/16	14.3/15.5	15.5/16.7	15.5/16.7
Digital timer heater Power adjustable with degas&semiwave series 时间可调 加热 脱气 变波 功率可调											
Model型号	GX0303	GX0610	GX0815	GX0915	GX1022	GX1222	GX1422	GX1522	GX1230	GX1430	GX1530
Capacity容量(L)	3.2	10	15	15	22	22	22	22	30	30	30
Tank size内槽尺寸(MM)	240*135*100	300*240*150	330*300*150	330*300*150	500*300*150	500*300*150	500*300*150	500*300*150	500*300*200	500*300*200	500*300*200
Unit size外形尺寸(MM)	265*165*225	325*265*275	355*325*275	355*325*275	530*330*280	530*330*280	530*330*280	530*330*280	530*330*330	530*330*330	530*330*330
Ultrasonic   Heating power 超声波   加热功率(W)	0-180   150	0-360   300	0-480   450	0-540   450	0-600   600	0-720   600	0-840   600	0-900   600	0-720   600	0-840   600	0-900   600
Packing size包装尺寸(MM)	340*245*310	435*360*350	460*410*340	460*410*340	635*405*340	635*405*340	635*405*340	635*405*340	635*405*390	635*405*390	635*405*390
N.W/G.W净重/毛重(Kg)	3.7/4.1	8/8.8	9.8/11	10.1/11.2	13/14.2	13.5/14.7	14.7/16	14.7/16	14.3/15.5	15.5/16.7	15.5/16.7





# 诚招经销商OEM/ODM

## CUSTOMIZED PRODUCT : OEM/ODM

### Function customization:

Optional **GB series** of mechanical simplicity, **GD series** of mechanical heating, **GS series** of digital display keys, **GT series** of adjustable power, **GW series** of variable wave degas , **GX series** of full functions.

### 功能可选:

GB系列机械简易、GD系列机械加热、GS系列数显按键、GT系列可调功率、GW系列变波脱气、GX系列全功能

### 中文标面



GB Series/系列

GD Series/系列

GS Series/系列

GW Series/系列

GT Series/系列

GX Series/系列

### 英文标面



GB Series/系列

GD Series/系列

GS Series/系列

GW Series/系列

GT Series/系列


GX Series/系列

### Panel customization:

Standard design scheme library is available for selection, exclusive color matching highlights brand value, and professional design team provides personalized design scheme for free. The minimum order quantity is only 100 pieces, so you can have your own panel

### 面板定制:

标准设计方案库可供选择，专属配色彰显品牌价值，更有专业设计团队免费提供个性设计方案，起订量仅需100张既可拥有您的专属面板





### Brand customization:

provide fully customized products such as authorized brand models, parameter labels, brand LOGO, after-sales service cards, etc

### 品牌定制:

提供品牌授权可贴牌型号，参数标签，品牌logo，售后服务卡等全面深度定制产品

# CERTIFICATES 公司资质



**全国统一服务热线: 400 0099 333**  
 深圳市冠博科技实业有限公司  
 网址: [www.guanbokeji.com](http://www.guanbokeji.com) / [www.guanboshi.com](http://www.guanboshi.com)  
 邮箱: [guanboshi@granboshi.com](mailto:guanboshi@granboshi.com) 电话: 0755-29985160  
 地址: 中国·广东·深圳·宝安全至科技创新园

Granbo Technology Industrial Shenzhen Co., Ltd.  
 Website: [www.guanbo.com](http://www.guanbo.com) / [www.guanbosonic.com](http://www.guanbosonic.com)  
 Email: [granbo@granbo.com](mailto:granbo@granbo.com) Tel: +86-755-27502790

咨询/购买/售后  
关注公众号